

## WHAT IS CLAIMED IS:

1. A forming mold for a lens sheet, which is to be used for molding ionizing radiation curing type resin into the lens sheet by applying said resin in a form of liquid on an upper surface of said forming mold, 5 placing a substrate on said resin and pressing said substrate and said resin against said forming mold from a pressing-starting side of said forming mold to a pressing-finishing side thereof by means of a pressing roller, comprising:

a mold body; and

10 a receiving member for receiving a superfluous amount of the ionizing radiation curing type resin, said receiving member being provided on at least said pressing-finishing side of a periphery of said mold body.

2. The forming mold as claimed in Claim 1, wherein:

15 said mold body comprises a molding plate and a supporting plate on which said molding plate is secured. A

3. The forming mold as claimed in Claim 1, wherein:

a gap between said mold body and said receiving member is filled with filler. B

20 4. The forming mold as claimed in Claim 2, wherein:

a gap between said mold body and said receiving member is filled with filler.

5. The forming mold as claimed in Claim 1, wherein:

said receiving member has a portion, which comes into contact 25 with said mold body, said portion having a downward inclined upper surface in a direction from said mold body to said receiving member. C

6. The forming mold as claimed in Claim 2, wherein:  
said receiving member has a portion, which comes into contact  
with said mold body, said portion having a downward inclined upper  
surface in a direction from said mold body to said receiving member.

5 7. The forming mold as claimed in Claim 3, wherein:  
said receiving member has a portion, which comes into contact  
with said mold body, said portion having a downward inclined upper  
surface in a direction from said mold body to said receiving member.

8. The forming mold as claimed in Claim 4, wherein:  
10 said receiving member has a portion, which comes into contact  
with said mold body, said portion having a downward inclined upper  
surface in a direction from said mold body to said receiving member.

9. The forming mold as claimed in Claim 1, wherein:  
15 said mold body has a portion, which comes into contact with  
said receiving member, said portion having a downward inclined upper  
surface in a direction from said mold body to said receiving member.

10. The forming mold as claimed in Claim 2, wherein:  
said mold body has a portion, which comes into contact with  
20 said receiving member, said portion having a downward inclined upper  
surface in a direction from said mold body to said receiving member.

11. The forming mold as claimed in Claim 3, wherein:  
said mold body has a portion, which comes into contact with  
25 said receiving member, said portion having a downward inclined upper  
surface in a direction from said mold body to said receiving member.

12. The forming mold as claimed in Claim 4, wherein:  
said mold body has a portion, which comes into contact with

said receiving member, said portion having a downward inclined upper surface in a direction from said mold body to said receiving member.

13. The forming mold as claimed in Claim 5, wherein:  
said mold body has a portion, which comes into contact with  
said receiving member, said portion having a downward inclined upper  
surface in a direction from said mold body to said receiving member.
14. The forming mold as claimed in Claim 6, wherein:  
said mold body has a portion, which comes into contact with  
said receiving member, said portion having a downward inclined upper  
surface in a direction from said mold body to said receiving member.
15. The forming mold as claimed in Claim 7, wherein:  
said mold body has a portion, which comes into contact with  
said receiving member, said portion having a downward inclined upper  
surface in a direction from said mold body to said receiving member.
16. The forming mold as claimed in Claim 8, wherein:  
said mold body has a portion, which comes into contact with  
said receiving member, said portion having a downward inclined upper  
surface in a direction from said mold body to said receiving member.
17. A method for manufacturing a forming mold for a lens sheet,  
comprising the steps of:  
cutting four sides of a blank body having a basic plane in a  
direction perpendicular to said basic plane to prepare a mold body  
having on a periphery thereof four perpendicular side surfaces; and  
securing a receiving member on at least one of said four  
perpendicular side surfaces of said mold body to prepare a mold unit,  
said one of said four perpendicular side surfaces being located on a

pressing-finishing side.

18. The method as claimed in Claim 17, wherein:  
said mold body comprises a molding plate and a supporting plate  
on which said molding plate is adhered.

5 19. The method as claimed in Claim 17, further comprising:  
subjecting said mold unit to a cutting work to form a downward  
inclined upper surface in a direction from said mold body to said  
receiving member at a connection portion of said mold body and said  
receiving member.

10 20. The method as claimed in Claim 18, further comprising:  
subjecting said mold unit to a cutting work to form a downward  
inclined upper surface in a direction from said mold body to said  
receiving member at a connection portion of said mold body and said  
receiving member.

15 21. The method as claimed in Claim 17, further comprising:  
applying filler in a gap between said mold body and said  
receiving member prior to said securing of said receiving member.

22. The method as claimed in Claim 18, further comprising:  
applying filler in a gap between said mold body and said  
receiving member prior to said securing of said receiving member.

20 23. The method as claimed in Claim 19, further comprising:  
applying filler in a gap between said mold body and said  
receiving member prior to said securing of said receiving member.

24. The method as claimed in Claim 20, further comprising:  
25 applying filler in a gap between said mold body and said

receiving member prior to said securing of said receiving member.